

**UK
CA**

Comax **Klik 31**

Comax **Falc**

Comax **BoCo 330**




**COMAX ROOFS**®

comaxroofs.co.uk

Comax **Klik 31**

- ✓ **Modern, easy-fit** standing seam system
- ✓ **75-year warranty** (applies to aluminium Klik)
- ✓ Improved **“Klik” lock** makes fitting even easier
- ✓ Microprofiling variant for **higher toughness**
- ✓ More than **600 color shades**




Material	FeZn	Al
Material thickness	0,5 - 0,55 mm	0,7 mm
Effective width of profile	475 mm	455 mm
Height of profile	31 mm	31 mm
Minimum length	850 mm	850 mm
Maximum length	8 000 mm	8 000 mm
Min. pitch without connection	9°	9°
Min. pitch with connection	15°	15°

Profilation variants:



Press



Microprofiling



Soft



Klik 31
detailed info




Comax Falc

- ✓ **Prepainted coils** for profiling of standing seam roofing system with **75-year warranty** (applies to aluminium)
- ✓ Developed for **easy forming and fitting**, suitable for very **detailed roofs and long spans**
- ✓ Supplied in **sheet form** cut to length (COMAX Falc 25), or **coils** to be formed on site with profiling machines (COMAX Falc)



Material	FeZn	Al
Material thickness	0,50 - 0,55 mm	0,70 mm
Input coil width	620 mm	600 mm
Parameters of the profiled standing seam roofing COMAX FALC 25 :		
Height of profile	25 mm	25 mm
Effective width of profile	540 mm	540 mm / 520 mm
Minimum length	600 mm	600 mm
Maximum length	* 10 000 mm	* 10 000 mm
Minimum pitch	4°	4°

* Possibility of profiling up to a length of 15 m;
in case of additional measures - according to the installation instructions



Falc
detailed info



Comax BoCo 330


- ✓ Historically proven **small-format shingle** roofing system
- ✓ **Lightweight aluminium** roof cover – 2 kg/m²
- ✓ **Guarantee of functionality** up to 64 years
- ✓ **Advantageous** in terms of **assembly and logistics**

BoCo 330
detailed info



Technical data:

	COMAX BoCo 330
Material	Al
Material thickness	0,7 mm
Effective width of shingle	330 x 330 mm
Consumption in m ²	9,18 pcs
Minimum pitch	22°
Packing (box)	22 pcs = 2,396 m ²





Browse **all projects** realized with our Partners **over United Kingdom** —→



What our **customers say:**

Read all testimonials —→



Duncan Kingston

Product Director – Southern Sheeting

"After several decades dealing with metals roofs, Southern Sheeting struggled for service when it came to standing seam system suppliers. This changed when working with Phil at Comax who takes a personal interest in every enquiry through to delivery. Competitive pricing, great communication and good lead times make Comax an ideal supply partner for us ensuring we can uphold our own strong customer service levels".



Contact your COMAX ROOFS® business partner, **Mr. Phil Brown:**

M: 07747 797955 | phil.brown@comaxroofs.co.uk | comaxroofs.co.uk



COMAX ROOFS® is a trademark of company METAL TRADE COMAX, a.s.,
Velvary 420, 273 24, Czech Republic, VAT: CZ49684442

